



Attestation of Compliance

Reference No. : LCSB05154089E

Applicant : AOK Industrial Company Limited

Address : 1/F of 1#Building, East Block of 3/F of Building 1, And 2/F of Building 4, ST George's Science and Technology Industrial Park, Northside of Xinyu Road, Xiangshan Community, Xinqiao Street Baoan District, 518000 Shenzhen, Guangdong, CHINA

Trade Mark : 

Product : LED FLOOD LIGHT

Model(s) : SEE ANNEX I

Tested according to : BS EN IEC 55015:2019+A11:2020
BS EN IEC 61000-3-2:2019+A1:2021
BS EN 61000-3-3:2013+A1:2019+A2:2021
BS EN IEC 61547:2023

The submitted products have been tested by us with the listed standards.

This Attestation of Compliance is issued according to the UK legislation: Electromagnetic Compatibility Regulations 2016 (SI 2016 No.1091 and amendments), Referred to as the UK Electromagnetic Compatibility. It confirms that the listed product complies with all essential requirements of the Electromagnetic Compatibility Regulations 2016 (SI 2016 No.1091 and amendments) and applies only to the sample and its technical documentation submitted to Shenzhen Southern LCS Compliance Testing Laboratory Ltd. for testing.

After preparation of the necessary technical documentation (Which must be kept for up to 10 years after the product is placed on the GB market as well as the UK declaration of conformity, the required UKCA marking can be affixed on the product. Other relevant Regulations have to be observed.

**UK
CA**

Date of issue: July 03, 2024



.....
Manager



Shenzhen Southern LCS Compliance Testing Laboratory Ltd.
101-201, No.39 Building, Xialang Industrial Zone, Heshuikou Community, Matian Street, Guangming District,
Shenzhen, China
Tel: (86)755-29871520 Fax: (86)755-29871521
Http://www.lcs-cert.com Email: webmaster@lcs-cert.com

ANNEX I:



Reference No. : LCSB05154089E

Model(s) :

Model	Rating	LED driver
AOK-400WFSC-NV-XX-XX-XXYY-BN-P	100-240V~, 50/60Hz, 400W, IP66, ta45°C	EUM-480S280MG
	120-240V~, 50/60Hz, 400W, IP66, ta45°C	SS-400VP-228DH
		SS-400VP-228BH
AOK-600WFSC-NV-XX-XX-XXYY-BN-P	100-240V~, 50/60Hz, 600W, IP66, ta45°C	EUM-680S350MG
	100-240V~, 50/60Hz, 600W, IP66, ta45°C	SS-600VP-190DH
		SS-600VP-190BH
AOK-800WFSC-NV-XX-XX-XXYY-BN-P	100-240V~, 50/60Hz, 800W, IP66, ta45°C	EUM-880S420MG
AOK-800WFSC-HV-XX-XX-XXYY-BN-P	200-420V~, 50/60Hz, 800W, IP66, ta45°C	SS-800MS-200DH
		SS-800MS-200BH
AOK-1000WFSC-NV-XX-XX-XXYY-BN-P	200-240V~, 50/60Hz, 1000W, IP66, ta45°C	EBM-1K2S740MG
AOK-1000WFSC-HV-XX-XX-XXYY-BN-P	200-420V~, 50/60Hz, 1000W, IP66, ta45°C	SS-1200MS-200DH
		SS-1200MS-200BH
AOK-1200WFSC-NV-XX-XX-XXYY-BN-P	200-240V~, 50/60Hz, 1200W, IP66, ta45°C	EBM-1K2S740MG
AOK-1200WFSC-HV-XX-XX-XXYY-BN-P	200-420V~, 50/60Hz, 1200W, IP66, ta45°C	SS-1200MS-200DH
		SS-1200MS-200BH
Description: "first XX" can be any letters to denote manufacturer of LED; "Second XX" denotes dimming control; which can be as followings: 00=No sensor provided; "XXYY" can be any numbers to denote Colour Temperature & Colour Rendering Index of LED; "BN" can be any letter or number to denote beam angles; "P" can be any letter to denote mounting.		

