




Attestation of Compliance

Reference No. : LCSB041023008E

Applicant : AOK Industrial Company Limited

Address : 1/F of 1#Building, East Block of 3/F of Building 1, And 2/F of Building 4, ST George's Science and Technology Industrial Park, Northside of Xinyu Road, Xiangshan Community, Xianqiao Street Baoan District, 518000 Shenzhen, Guangdong, CHINA

Trade Mark : 

Product : LED Flood light

Model(s) : SEE ANNEX I

Tested according to : BS EN IEC 55015:2019+A11:2020
BS EN IEC 61000-3-2:2019+A1:2021
BS EN 61000-3-3:2013+A1:2019+A2:2021
BS EN 61547:2009

The submitted products have been tested by us with the listed standards.

This Attestation of Compliance is issued according to the UK legislation: Electromagnetic Compatibility Regulations 2016 (SI 2016 No.1091 and amendments), Referred to as the UK Electromagnetic Compatibility. It confirms that the listed product complies with all essential requirements of the Electromagnetic Compatibility Regulations 2016 (SI 2016 No.1091 and amendments) and applies only to the sample and its technical documentation submitted to Shenzhen Southern LCS Compliance Testing Laboratory Ltd. for testing.

After preparation of the necessary technical documentation (Which must be kept for up to 10 years after the product is placed on the GB market as well as the UK declaration of conformity, the required UKCA marking can be affixed on the product. Other relevant Regulations have to be observed.

UK CA

Date of issue: April 13, 2023



Manager



ANNEX I:



Reference No. : LCSB041023008E

Model(s) :

Model name	Rating	LED driver
AOK-10WiF-NV-XX-00-XXYY-BN-P	100-240V~, 50/60Hz, 10W, IP66, ta45°C	EUM-030S105DG
AOK-20WiF-NV-XX-00-XXYY-BN-P	100-240V~, 50/60Hz, 20W, IP66, ta45°C	EUM030S105DG
AOK-30WiF-NV-XX-00-XXYY-BN-P	100-240V~, 50/60Hz, 30W, IP66, ta45°C	EUM-030S105DG
AOK-50WiF-NV-XX-00-XXYY-BN-P	100-240V~, 50/60Hz, 50W, IP66, ta45°C	EUM-050S150DG
AOK-75WiF-NV-XX-00-XXYY-BN-P	100-240V~, 50/60Hz, 75W, IP66, ta45°C	EUM-075S210DG
AOK-96WiF-NV-XX-00-XXYY-BN-P	100-240V~, 50/60Hz, 96W, IP66, ta45°C	EUM-100S280DG
AOK-120WiF-NV-XX-00-XXYY-BN-P	100-240V~, 50/60Hz, 120W, IP66, ta45°C	EUM-150S420DG
AOK-145WiF-NV-XX-00-XXYY-BN-P	100-240V~, 50/60Hz, 145W, IP66, ta45°C	EUM-150S420DG
AOK-180WiF-NV-XX-00-XXYY-BN-P	100-240V~, 50/60Hz, 180W, IP66, ta45°C	EUM-200S560DG
AOK-200WiF-NV-XX-00-XXYY-BN-P	100-240V~, 50/60Hz, 200W, IP66, ta45°C	EUM-200S560DG
AOK-230WiF-NV-XX-00-XXYY-BN-P	100-240V~, 50/60Hz, 230W, IP66, ta45°C	EUM-240S670DG
AOK-260WiF-NV-XX-00-XXYY-BN-P	100-240V~, 50/60Hz, 260W, IP66, ta45°C	EUM-320S760DG
AOK-300WiF-NV-XX-00-XXYY-BN-P	100-240V~, 50/60Hz, 300W, IP66, ta45°C	EUM-320S760DG
Description: "XX" can be any letters to denote manufacturer of LED; Second "XX" can be 27, 30, 40, 50, 57 or 65 to denote colour temperature of LEDs, e.g. 27=2700K, 30=3000K, 40=4000K, 50=5000K, 57=5700K, 65=6500K; "YY" can be 70, 80 or 90 to denote colour rendering index of LEDs, e.g. 70: CRI: 70, 80: CRI: 80, 90: CRI: 90; "BN" can be any letters to denote housing colours.		

